




VIOS

SPARE PARTS



Website



Facebook



YouTube


huapu@viossewing.com/sales@viossewing.com

VIOS

SPARE PARTS


STANDARD PRESSER FOOT

KP367W




Feeding foot width 內壓腳闊: 8mm
0367-220993 + 0467-220013

KP367N




Feeding foot width 內壓腳闊: 5.8mm
0367-225053 + 0367-225043

KP367F




For binding 包邊用
Feeding foot width 內壓腳闊: 12.2mm
0367-220103 + 0067-220993

KP367LN




Left cording feet set 左單邊壓腳
0367-220343 + 0067-220703

KP367RN




Right cording feet set 右單邊壓腳
0367-220283 + 0067-220713

KP367T




For zipping 傍膠條用
Feeding foot width 內壓腳闊: 6mm
0367-220103 + 0067-220993

KP367-N081




Presser foot width 外壓腳闊: 10mm
Feeding foot width 內壓腳闊: 4.5mm

KP367-L081



Presser foot width 外壓腳闊: 7.5mm
Feeding foot width 內壓腳闊: 4.5mm


KP367-R081



Presser foot width 外壓腳闊: 7.5mm
Feeding foot width 內壓腳闊: 4.5mm


Presser feet set for narrow operation. They must be used together with "KH467N081-NP" needle plate and "KH467N081-FD" feed dog.
以上壓腳組適用於狹窄縫製空間，需配搭 "KH467N081-NP" 針板和 "KH467N081-FD" 送布牙使用。

KP467Q




For upturned material, head rest or seam with a large drop-height
適用於上翻物料/頭枕用
* Must be used with KH467Q-NP/FD
需配搭 KH467Q-NP/FD 針板/送布牙使用

KP367VX













Climbing over cross seams
適用於縫製十字縫
0767-220013 + 0467-220483

KP367VC











Climbing over thicker materials
適用於縫製特厚物料
0367-221543 + 0367-221553











STANDARD PRESSER FOOT

KP367S  For small operation 精巧工序用	KP367TP  Tape attaching tube on feeding feed Tape width : 5mm or tailor-made 落細條用，細條寬度: 5mm或訂造	KP367B  For binding. Working together with KH467B needle plate & feed dog and KHB767 包邊用，可配搭KH467B 針板/送布牙 及KHB767 擺架一起使用
KP367ZP  Feet for invisible zipper, used together with KH844 隱形拉鏈用，可配搭KH844 拉筒一起使用	KP367LV  Left cording feet for climbing cross seams 左單邊壓腳，適用於縫製十字縫	KP467RW  Right cording feet for heavy materials 右單邊壓腳，特厚料用
KP367RV  Right cording feet for climbing cross seams 右單邊壓腳，適用於縫製十字縫	KP467LW  Left cording feet for heavy materials 左單邊壓腳，特厚料用	KH367FG2  Stronger finger guard 加強型護針罩 * Right hand side model is available * 另有右邊型號可供選擇
KP10711703  Climbing over thicker materials 特厚料用	KH367FG  Finger guard for KP367W/ N/ LN/ RN/ F/ T 護針罩，KP367W/ N/ LN/ RN/ F/ T 用 * Right hand side model is available * 另有右邊型號可供選擇	




GUIDING FEET (SINGLE NEEDLE)

GL367  Left compensating guide feet 左邊彈弓傍位壓腳 2, 3, 4, 5, 6, 8, 9 mm	GR367  Right compensating guide feet 右邊彈弓傍位壓腳 2, 3, 4, 5, 6, 8, 9 mm	GL367X  Stronger left compensating guide & wider feeding foot for HEAVY DUTY 特強左邊彈弓傍位壓腳，特闊送料 3, 4, 5, 6, 8, 9 mm
GR367X  Stronger right compensating guide & wider feeding foot for HEAVY DUTY 特強右邊彈弓傍位壓腳，特闊送料 3, 4, 5, 6, 8, 9 mm	GL367H  Deeper left compensating guide with balancing spring for EXTREME HEAVY DUTY 左邊彈弓傍位壓腳，超厚物用 4, 5, 6, 7, 8, 9 mm	GR367H  Deeper right compensating guide with balancing spring for EXTREME HEAVY DUTY 右邊彈弓傍位壓腳，超厚物用 4, 5, 6, 7, 8, 9 mm
R367R  Right roller guide feet 右邊傍位滾輪壓腳 3, 4, 5, 6 mm	GD367  Double compensating guide feet 左右雙傍位壓腳 3/32", 1/8", 3/16", 1/4"	







PIPING GAUGE SETS

KH367-NP Needle plate for piping, which is used together with KH367-FDP or KH367-FD 繩管用針板 配搭KH367-FDP或KH367-FD 同時使用	Grooved feed dog's main purpose is solving the problem of unbalance between upper and lower layers. It must be used together with KH367PL/ PR/ PF/ PB/ PC/ PCS presser feet 有坑送布牙用於縫製繩管部份，需配搭KH367PL/ PR/ PF PB/ PC/ PCS 壓腳同時使用。	KH367-HNP Needle plate for larger piping, which is used together with KH367-HFD 粗繩管用針板 配搭KH367-HFD 同時使用 Groove Size 坑闊: 6mm, 9mm	KH767WG  Welt groove is integrated one half each in the presser foot and feeding foot It can be used together with KHF767WS 粗飾邊用，針孔貼齊坑邊 可配搭KHF767WS一起使用 5mm (W) x 5mm (H), 5mm (W) x 7mm (H)
 KH367-FDP Grooved feed dog for 5mm piping, totally 11.5mm wide 送布牙11.5mm 闊 坑5mm闊	 KH367-FD Feed dog for piping, 11.5mm wide 送布牙11.5mm 闊	 KH367-HFD Grooved feed dog for larger piping, which is used together with KH367-HNP 粗繩管用牙 配搭KH367-HNP 同時使用 Groove Size 坑闊: 6mm, 9mm	KH767TG  Welt groove is integrated one half each in the presser foot and feeding foot It can be used together with KHF767TS 粗飾邊用，針孔貼齊坑邊 可配搭KHF767TS一起使用 4, 5, 6, 8 mm
 KH367PF Cording groove on the left of the needle 左坑，繩管用雙趾壓腳 3, 4, 5, 6, 8, 9 mm	 KH367PL Cording groove on the left of the needle 左坑，繩管用單左趾壓腳 3, 4, 5, 6, 8, 9 mm	 KH367PR Cording groove on the right of the needle 右坑，繩管用單左趾壓腳 3.2, 4.8, 6.4 mm	
 KH367PB Piping operation to the left of the needle 左坑，繩管用單右趾壓腳 4, 5, 6, 8, 9 mm	 KH367PC Piping operation to the left of the needle 左坑，繩管用雙趾壓腳 4, 5, 6, 8, 9 mm	 KH367PCS Piping operation to the left of the needle 左坑，繩管用單右趾壓腳 4, 5, 6, 8, 9 mm	








PIPING GAUGE SETS

KH367PD  Double piping groove, needle hole in the middle 雙坑壓腳，針孔在中 3/16" x 2, 1/4" x 2, 3/8" x 2 5mm x 2, 6mm x 2, 8mm x 2	KH367PJ  Cording groove on the left of the needle. Groove position is adjustable in order to adjust the space between the needle and the cord. 左坑，單左趾壓腳，繩管與落針距離可調教 3, 4, 5, 6, 7, 8, 9 mm	KH367TG  Cording groove on the left of the needle its welt groove is integrated one half each in the presser feet and feeding feet 左坑，繩管用單左趾壓腳，針孔貼齊坑邊 3, 4, 5, 6 mm
---	--	--










GAUGE SETS (SINGLE NEEDLE)

KH467-NP6/FD  Feed dog 8mm wide, max stitch length 6mm 送布牙面寬 8mm，最長行程 6mm	KH467-NP11/FD  Feed dog 8mm wide, max stitch length 11mm 送布牙面寬 8mm，最長行程 11mm	0467-210070  Feed dog 8mm wide 送布牙面寬 8mm
KH467N081-NP/FD  * Must be used with KP367-N081/L081/R081 presser feet for narrow operation 需配搭KP367-N081/L081/R081 壓腳使用，適合狹窄面料	KH467Q-NP/FD  For upturned material, head rest or seam with a large drop-height 適用於上翹形物料/頭枕用 * Must be used with KP467Q presser feet 需配搭 KP467Q 壓腳使用	KH467K-NP/FD  For thin material 薄料用






GAUGE SETS (SINGLE NEEDLE)

KH467B  Feed dog enable the binder and rocking with moving arm KHB767 配搭KHB767包邊擺架使用	KCU467-GS 467/767 Edge cutting gauge set 切邊針位組  KCU467-PW KCU467-PS KCU467-KF KCU467-FD KCU467-NP Standard width 標準寬度: 3.0mm, 4.8mm		
0767-200030  Needle plate for 767-KFA-373-RAF-HP Max stitch length 9mm 767-KFA-373-RAF-HP針板, 最長行程 9mm	0367-232010KH  Needle bar for single needle using with KH767-NCS 單針針柱 需配搭KH767-NCS使用	0767-120050KH  Needle bar complete for single needle 單針針柱	0767-120064KH  Needle bar complete for single needle 單針針柱 (連線耳) 0767-120060 Needle bar 針柱 0291-000159 Thread guide 線耳 9203-312411 Screw 螺絲
0767-210030  Feed dog for 767-KFA-373-RAF-HP 767-KFA-373-RAF-HP送布牙			
0367-200340 + 0367-210230  Wider feeding area for piping or other operations 特闊送布牙面, 為飾邊等操作而設	KH767-NCS  Single needle holder with screw, using on 0367-232010KH 單針針頭連螺絲 安裝於0367-232010KH使用	0291-000159 + 9203-312411  0291-000159 Thread guide 線耳 9203-312411 Screw 螺絲 (for 用於 0767-120064KH)	




DOUBLE NEEDLE PRESSER FOOT

KP767  Spring type center guide feet set 彈弓中分刀雙針壓腳 5, 6, 8, 10, 12, 14, 16 mm	KP767-SO  Spring type center guide foot 彈弓中分刀雙針外壓腳 5, 6, 8, 10, 12, 14, 16 mm	KP767-SI  Feeding foot for center guide 中分刀雙針內壓腳 5, 6, 8, 10, 12, 14, 16 mm
KP768AO  Pneumatic center guide foot 氣動中分刀外壓腳 5, 6, 8, 10, 12, 14, 16 mm	KP768-I  Compensating inner foot 高低互補內壓腳 5, 6, 8, 10, 12, 14, 16 mm	KP768-IX  Compensating foot with a center guide on right toe 高低互補內壓腳連中分刀 (右趾) 6, 8, 10, 12, 14 mm
KP768-HI  Support larger difference in height 可應付大高度落差 8, 10, 12, 14, 16 mm	KP767S  For small operation 精巧工序用 6, 8, 10, 12, 14 mm	KP767SK  For small operation with center guide 精巧工序用 (中分刀) 6, 8, 10, 12 mm
KP767UD  Double needle presser feet set 雙針壓腳 3, 4, 5, 6, 8, 10, 12, 14, 16 mm	KP767U  Double needle presser foot 雙針外壓腳 3, 4, 5, 6, 8, 10, 12, 14, 16 mm	KP767D  Double needle feeding foot 雙針內壓腳 3, 4, 5, 6, 8, 10, 12, 14, 16 mm








DOUBLE NEEDLES PRESSER FOOT

KP767EP  Zipper feet used together with KHf844 拉鍊壓腳，配搭KHf844使用 10, 12, 14 mm	KP768-MO + KP768-MI  For center cording/piping 中間繩管內外壓腳 8, 10 mm	
GA767R  Double needle feet with right guide Guide pressure and guide level are adjustable 雙針右側壓腳，側位壓力及高度均可調教 5, 6, 8, 10, 12, 14 mm	KP768-ZO  Pneumatic center guide foot for small operation 精巧工序用氣動中分刀外壓腳 6, 8, 10, 12 mm	KP768-ZI  Pneumatic center guide feeding foot for small operation 精巧工序用氣動中分刀內壓腳 6, 8, 10, 12 mm

GAUGE SET (DOUBLE NEEDLE)

KH767-NP  Needle plate for 767 767 針板 3, 4, 5, 6, 8, 10, 12, 14, 16 mm	KH767-FD  Feed dog for 767 767 送布牙 3, 4, 5, 6, 8, 10, 12, 14, 16 mm	KH767-NC  Needle clamp for double needle 雙針針頭 3, 4, 5, 6, 8, 10, 12, 14, 16 mm
--	---	--

GAUGE SETS (DOUBLE NEEDLE)

KH768-NP  Needle plate for 768 768 針板 3, 4, 5, 6, 8, 10, 12, 14, 16 mm	KH768-NPT  Needle plate for 768 with thread trimmer 768 針板(剪線車用) 3, 4, 5, 6, 8, 10, 12, 14, 16 mm	0367-232010KH  Needle bar for double needle using with KH767-NC 雙針針柱，需配搭KH767-NC使用
KH768-FD  Feed dog for 768 768 送布牙 3, 4, 5, 6, 8, 10, 12, 14, 16 mm	KH768-NPC  Needle plate carrier for 768 768 針板橋 3, 4, 5, 6, 8, 10, 12, 14, 16 mm	
KH767AS Asymmetric gauge set 不對稱針位 KP767AS-U  KP767AS-D  KH767AS-NP  KH767AS-NC  KH767AS-FD  This gauge set is a convenient solution for the user who use alternately single needle and double needle. The center is at the right needle hole, but not the middle between two needles. 此針位設計為不對稱地偏向左邊，針位中心置於右針上。 目的為方便交替單針及雙針縫製。 6, 8, 10, 12 mm		
KH867-OSNC  Flip-up needle clamp for double needle 雙跳針針頭 6, 8, 10, 12 mm	 Modification of needle bar bushing 精修改針柱筒套	







SEWING FEET (12mm stitch length)		
12mm行程壓腳		
867, 868		
KP867UD	KP867U	KP767D
Double needle presser foot set 雙針壓腳	Double needle presser foot 雙針外壓腳	Double needle feeding foot 雙針內壓腳
5, 6, 8, 10, 12, 14, 16 mm	5, 6, 8, 10, 12, 14, 16 mm	5, 6, 8, 10, 12, 14, 16 mm
KP868	KP868-SO	KP767-SI
Spring type center guide foot set 彈弓中分刀雙針壓腳	Spring type center guide foot 彈弓中分刀雙針外壓腳	Feeding foot for center guide 中分刀雙針內壓腳
5, 6, 8, 10, 12, 14, 16 mm	5, 6, 8, 10, 12, 14, 16 mm	5, 6, 8, 10, 12, 14, 16 mm
KP868AO	KP768-I	GL867
Pneumatic center guide foot 氣動中分刀外壓腳	Compensating inner foot 高低互補內壓腳	Left compensating guide feet 左邊彈弓傍位壓腳
5, 6, 8, 10, 12, 14, 16 mm	5, 6, 8, 10, 12, 14, 16 mm	3, 4, 5, 6, 8, 9 mm
GR867	GL867H	GR867H
Right compensating guide feet 右邊彈弓傍位壓腳	Deeper left compensating guide with balancing spring for EXTREME HEAVY DUTY 左邊彈弓傍位壓腳，超厚物用	Deeper right compensating guide with balancing spring for EXTREME HEAVY DUTY 右邊彈弓傍位壓腳，超厚物用
3, 4, 5, 6, 8, 9 mm	5, 6, 8, 9 mm	5, 6, 8, 9 mm

SEWING FEET (12mm stitch length)		
12mm行程壓腳		
867, 868		
KP867W	KP867LN	KP867RN
Standard feet 標準壓腳	Left cording feet set 左單邊壓腳	Right cording feet set 右單邊壓腳
GAUGE SETS (SINGLE NEEDLE)		
單針針位		
867		
KH867-NB	0867-200010	0867-200020
Needle Bar 針柱	Maximum stitch length 6 mm 最長行程 6mm	Maximum stitch length 9 mm 最長行程 9mm
	0867-200030	0867-210010A
	Maximum stitch length 12 mm 最長行程 12mm	Feed dog 送布牙

GAUGE SETS (SINGLE NEEDLE)

單針針位








867

0867-210010B  Feed dog 送布牙	KH867-BNP  Needle plate for binding (Moving arm KH8767) 包邊用針板 (配搭KH8767擺架使用)	KH867-BFD  Feed dog for binding (Moving arm KH8767) 包邊用送布牙 (配搭KH8767擺架使用)
0867-210010FDH  Bigger needle hole: 4.2 x 3.2mm 大針孔送布牙: 4.2 x 3.2mm	KH867-HNP  Needle plate for larger piping Use together with KH867-HFD 特大飾邊用針板 (配合KH867-HFD送布牙用) Groove Size坑闊: 6mm, 9mm	KH867-HFD  Groove feed dog for larger piping Use together with KH867-HNP 特大飾邊用有坑送布牙 (配合KH867-HNP針板用) Groove Size坑闊: 6mm, 9mm

GAUGE SETS (DOUBLE NEEDLE)

雙針針位

867, 868

KH867-DNP  Needle plate for 867 867針板 3, 4, 5, 6, 8, 10, 12, 14, 16 mm	KH867-DFD  Feed dog for 867 867送布牙 3, 4, 5, 6, 8, 10, 12, 14, 16 mm	0367-232010KH  Needle bar for double needle using with KH767-NC 雙針針柱，需配搭KH767-NC使用
KH868-NP  Needle plate for 868, max stitch length 12mm 868針板，最長行程12mm 5, 6, 8, 10, 12, 14, 16 mm	KH868-FD  Feed dog for 868, needle hole size 3mm 868送布牙，針孔尺寸3mm 5, 6, 8, 10, 12, 14, 16 mm	
KH868-NPC  Lateral covers 針板橋 5, 6, 8, 10, 12, 14, 16 mm	KH767-NC  Needle clamp for double needle 雙針針頭 3, 4, 5, 6, 8, 10, 12, 14, 16 mm	KH867-OSNC  Flip-up needle clamp for double needle 雙跳針針頭 6, 8, 10, 12 mm

KH867AS Asymmetric gauge set 不對稱針位

KP767AS-U

KP767AS-D

KH867AS-NP

KH867AS-FD

KH767AS-NC

This gauge set is a convenient solution for the user who use alternately single needle and double needle.

The center is at the right needle hole, but not the middle between two needles.










此針位設計為不對稱地偏向左邊，針位中心置於右針上。目的為方便交替單針及雙針縫製。

6, 8, 10, 12 mm

SPARE PARTS

配件







867, 868

0245-001660A  Bobbin 線芯 Diameter 直徑: 26mm	0245-001660AS  Bobbin with spiral lining 螺旋紋線芯 Diameter 直徑: 26mm	0667-150830  Bobbin 線芯 Diameter 直徑: 32mm
KDB-867(26)  Bobbin for remaining thread monitor 紗線剩餘監測裝置用線芯 Diameter 直徑: 26mm	KDB-867(32)  Bobbin for remaining thread monitor 紗線剩餘監測裝置用線芯 Diameter 直徑: 32mm	
0367-150270KH  Supporting spring for 26mm diameter bobbin 26mm 直徑線芯用梭內彈弓	0767-150590  Supporting spring for 32mm diameter bobbin 32mm 直徑線芯用梭內彈弓	0211-001033-1  Slot type screw for genuine needle clamp 一字槽上針螺絲 (杜克普原廠針頭用)
0211-001033-6  Hexagon type screw for genuine needle clamp 內六角上針螺絲 (杜克普原廠針頭用)	KH767NC-1S  Slot type screw for KH767-NC 一字槽上針螺絲 (KH767-NC用)	KH767NC-6S  Hexagon type screw for KH767-NC 內六角上針螺絲 (KH767-NC用)

ATTACHMENTS

助縫設備

767, 867


KHF867  Tape guide on front slide plate for 867 Adjustable between 15 and 25mm wide 867 前置導帶推板，寬度調教15mm至25mm	KHF867F  For 867 - Top: Adjustable downturn hemmer in two sides Bottom: Adjustable tape guide (15-25mm) on front slide plate 867用 - 上:可調教左右下褶邊 - 下:前置可調教(15-25mm)導帶推板
KA767  Tape guide for flat bed machine 平面縫紉機用前置導帶器	KA767R  Tape guide for flat bed machine with roller holder N900-001527 平面縫紉機用-前置導帶器 (連桌下型網條盤N900-001527)
KHF767WS  Welting attachment used together with KH767WG piping feet 滾邊拉筒 (配搭KH767WG繩管壓腳使用)	KHF767TS  Welting attachment used together with KH767TG piping feet 滾邊拉筒 (配搭KH767TG繩管壓腳使用)

ATTACHMENTS

助縫設備


767, 867

KHF767RG




N800-V91271 Left retainer guide + N800-V91180 Right retainer guide
N800-V91271 左邊導帶器 + N800-V91180 右邊導帶器

KHF767TA




N516-V91174 Tape guide, it is adjustable between 1.5cm & 4cm
N516-V91174 導帶器，可調教寬度: 1.5cm - 4cm

KHF767UL




Partition attachment separates the upper and lower layers, to set the upper feeding and lower feeding different from each other
將上下層物料分開，達致不同步推送

KHF767P1




Welting attachment for thicker cord
粗繩管包縫器

KHF767WL




KHF767WL finishes functions of KHF767P1 & KHF767P2 simultaneously
KHF767WL能同一時間做到KHF767P1及KHF767P2的效果

KHF767P2




The center part binded cord has been made by KHF767P1 already
KHF767P2 help to add the upper and bottom layer
KHF767P2將KHF767P1已包好的繩管加上上下層物料

KHF844



Zipper folder, used together with KP367ZP
拉鏈拉筒，配搭KP367ZP使用

KHB767




Moving arm for 767 & 867, used together with KHF2, KHF3 or KHF4 binder
767及867包邊筒擺架，配搭KHF2, KHF3或KHF4 使用

ATTACHMENTS

助縫設備


669

KHB669



Moving arm for binding on 669 machine (Rocking with feed dog)
Use together with KHF2, KHF3 or KHF4 binder
669包邊用送料擺架(跟送布牙擺動)，可配搭KHF2, KHF3或KHF4使用

KHF669CU




Raw edge binder with tape cutting knife, which can cut the tape immediately after sewed.
More convenience and the tapes can be saved.
Suitable for most cylinder-bed machines.
帶切刀散口包邊筒，可於縫製後立即切料，既方便更可節省用料。適用於圓筒型機種。

-Tape size 入口: 3/4" -Thickness 料厚: 7 mm -Raw edge binding 散口包邊

SUSPENDING EDGE GUIDES


吊傍

KG-B14




Roller diameter: 14mm
14mm直徑滾輪傍位

KG-S11




Roller diameter: 11mm
11mm直徑滾輪傍位

KG-S04




Roller diameter: 4mm
4mm直徑滾輪傍位

KG-AC




(Improved version of 0667-245004)
(0667-245004 改良款式)
Center guide
中分傍位

KG-BZ



Zipper guide
拉鏈傍位

KG-NR




Regulating guide for zipper
可調節拉鏈傍位

SUSPENDING EDGE GUIDES


吊傍

KG867A




Maximum adjustable height: 100mm
最大可調教高度: 100mm
Long straight guide & 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

KG867S




4mm and 11mm diameter roller guide
4mm及11mm直徑滾輪傍位

KG867N




N type allows both hands holding the material
N型傍位設計方便雙手同時把持物料
Long straight guide 11mm & 14mm diameter roller guide
長直形傍位、11mm及14mm直徑滾輪傍位

KG867D




Double guide for 867
867 雙傍位

KG767LR




Guiding on the left and/or right hand side
左右分別/同時導傍

KG867Y




Two steps adjustable guide
Maximum adjusting range
between two steps = 16mm
二段調節傍位
最寬調教距離16mm
Long straight guide
and 14mm diameter roller guide
長直形傍位及14mm直徑滾輪傍位

KG1087-6




6mm diameter roller guide
6mm直徑滾輪傍位

KG1087-16



16mm diameter roller guide
16mm直徑滾輪傍位

KG867A + EG01




KG867A suspending guide with EG-01 eye guard
KG867A 傍位連 EG-01 護目鏡

SUSPENDING EDGE GUIDES

吊傍

KG767T




The guide is free adjustable.
The cord can be inserted at
the right or left side of the guide.
傍位位置可隨意安放和調教，
繩管可置於左或右邊。

Cord size 繩管尺寸: 6mm, 9mm
Applicable for 適用於:


KH367PF, KH367PL, KH367PR, KH367PB, KH367PC, KH367PCS

KB767




Bracket for 467, 767, 768
467, 767, 768 轉接配件

KB867




N800 080003
Bracket for 669, 867, 868
669, 867, 868 轉接配件

KB367




Bracket for 367
367 轉接配件

KB205




Bracket for 204-370, 205-370
204-370, 205-370 轉接配件

KB267




Bracket for 267, 268, 269
267, 268, 269 轉接配件

KB295




N900 003364
Bracket for 195, 243, 244, 291, 294, 296, 491
195, 243, 244, 291, 294, 296, 491 轉接配件

KB1230




Bracket for 1230i
1230i 轉接配件

KG-AA



Long straight guide
長直形傍位

KG-AB




Zipper / Long straight guide (Dual functions)
拉鏈/長直形兩用傍位

NEW PRODUCTS

新產品


867,868 double needle

KP867C



Single needle compensating feet set
單針高低壓腳組


GL367M



Compensating left guide feet (for extreme heavy)
左傍高低壓腳 (極厚物用)

3, 4, 5, 6, 8, 9 mm


GR367M



Compensating right guide feet (for extreme heavy)
右傍高低壓腳 (極厚物用)

3, 4, 5, 6, 8, 9 mm


KP867CD



Double needle compensating feet set
雙針高低壓腳組

6, 8, 10, 12 mm

KP867COD



Double needle compensating outer foot
雙針高低外壓腳

6, 8, 10, 12 mm


KP867CD-I



Double needle inner foot
雙針內壓腳

6, 8, 10, 12 mm

KH768DP



Double needle compensating feet for piping
雙針高低繩管壓腳組

8, 10, 12 mm


KH768DP-I



Double needle inner piping foot
雙針繩管內壓腳

8, 10, 12 mm


KP768YC



Fixed guiding feet with short toes
短趾固定中分壓腳

6, 8, 10, 12 mm

KP768YAO



Pneumatic center guiding foot with extremely short toes
超短趾氣動中分外壓腳

6, 8, 10, 12, 14, 16 mm


KP768-YI



Short toes feeding foot
超短趾內壓腳

6, 8, 10, 12, 14, 16 mm

KP768YCO




Fixed guiding foot with short toes
短趾固定中分外壓腳

6, 8, 10, 12 mm

NEW PRODUCTS


新產品

KP367XW




Wider standard feet
加闊標準壓腳

KP867-N081




Narrow standard feet
窄身標準壓腳

KP867-N081WR




Narrow standard feet with wider right toe
右趾較寬窄身標準壓腳

KP367ZPW




Presser feet for invisible zipper
隱形拉鍊壓腳

KH867K-NP/FD




Needle plate & feed dog for thin material
薄料用針板及送布牙

KH867Q-NP/FD



Need plate & feed dog for upturned material,
head rest or seam with a large drop-height
上翻形物料/頭枕用針板及送布牙

KP767TP



Double needle tape attaching feet 雙針落帶壓腳


Needle space 針距:

4, 5, 6, 8, 10, 12 mm

Tape width 帶寬:

1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1"


KP767TP-I



Feeding foot for double needle tape attaching feet
雙針落帶內壓腳


4, 5, 6, 8, 10, 12 mm

KA768-F



Downturn hemmer attachment
下摺邊助縫配件


KA768-FBG



Belt guide with downturn hemmer
下摺邊導帶器

10, 12, 14, 16, 18, 20 mm


KA768-LBG



Wider belt guide
較寬導帶器

22, 24, 26, 28, 30, 32 mm

KA768-LBI




Wider belt insert
較寬導帶座膠

22, 24, 26, 28, 30, 32 mm

NEW PRODUCTS

新產品


KH867AS-SG



Asymmetric guiding gauge set 不對稱分骨針位

6, 8, 10, 12 mm


KP768CC



Compensating center guide foot
高低互補中分外壓腳

5, 6, 8, 10, 12, 14, 16 mm


KP367TP



Single needle tape attaching feet
單針落帶壓腳

Tape Width 帶寬:
1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1"

KP367TP-I




Feeding foot for single needle tape attaching feet
單針落帶內壓腳

ATTACHMENTS FOR BINDING

包邊助縫配件


KP367B



KH467B KH669-NPB KH669-FDB KH867-BNP KH867-BFD
KH2810-NPB KH467B-FD KH801 KH8669 KH8767


Presser feet for binding
包邊壓腳

KH669-NPB/FDB



Needle plate & feed dog for binding
包邊用針板及送布牙

KH867-BNP/BFD




Needle plate & feed dog for binding
包邊用針板及送布牙

NEW PRODUCTS


新產品

KH669-NP/FD




Standard needle plate & feed dog
標準針板及送布牙

KH669R-NP/FD




Raised needle plate & feed dog
升高針板及送布牙

KH669D-NP/FD




Raised, small needle plate & feed dog
升高短針板及送布牙

KA-CNS




Needle cooler for single needle machine
單針機用車針冷卻裝置

KA-CND




Needle cooler for double needle machine
雙針機用車針冷卻裝置

KH367RFG




Finger guard for single needle presser feet (Right)
單針壓腳護針罩(右)

KH367RFG2



Universal stronger finger guard (Right)
泛用加強型護針罩(右)

KH867FG




Finger guard for single needle presser feet
單針壓腳護針罩

SUSPENDING GUIDES & BRACKETS


傍位及轉接配件

KG867P



Pneumatic 2 steps adjustable suspending guide
氣動二段調節傍位


KG867P-LAK



可調節距離
Adjustable Range
15 ~ 30mm

15 - 30mm stitches distance adjustment kit for KG867P
KG867P 15 - 30mm 縫線間距調節配件

KG-AD




Guiding knife for curve stitch
曲線縫傍刀

ATTACHMENTS FOR BINDING


包邊助縫配件

KHB669



Moving arm for binding
包邊筒擺架

KHB767




Moving arm for binding
包邊筒擺架

ATTACHMENTS FOR BINDING


包邊助縫配件

KHF867S




Cord welting attachment
繩管飾邊拉筒

KHF867T




Vinyl welting attachment
硬飾邊拉筒

KHF867UT




Under tape attachment
底貼拉筒

KHF4410




KHF2



Raw edge binder 散口包邊拉筒

10, 12, 14, 16, 18, 20, 22, 24, 26mm


KHF2



Raw edge binder 散口包邊拉筒

5/8", 3/4", 7/8", 1"


KHF3



Single fold binder 面環底散包邊拉筒

18, 20, 22, 24, 26, 28mm

KHF4



Double fold binder 雙環口包邊拉筒

18, 20, 22, 24, 26, 28, 30, 32mm