

DISTRIBUTOR INFORMATION:



VIOS SEWING MACHINERY CO.,LTD.

Factory: Hongqiao Yueqing,Wenzhou,Zhejiang

Overseas Dept.: Room1102,Building 1,No.7866 Humin Road,
Minhang Dist.,201102,Shanghai,China

E-mail: sales@viossewing.com

huapu@viossewing.com

info@viossewing.com

Website: www.viossewing.com

GENERAL CATALOGUE

2026
(2)



Website



Youtube



Facebook



Instagram

Expert on heavy duty&solution supplier

Produce spare parts & control system by ourselves

Company Introduction

VIOS factory was founded in 2012 in Yueqing,Wenzhou,Zhejiang province, specialized in R&D,manufacturing and sales of various industrial sewing machines especially heavy duty, factory is awarded "Zhejiang Provincial Science and Technology Enterprise", "National High-tech Enterprise" and other honorary titles.

VIOS Wenzhou factory covers an area of over 8,000 square meters, integrating R&D, production, and domestic sales, equipped with the world first-class processing equipment, automatic&intelligent&precise machining centers and assembling lines.We produce over 95% spare parts including control system by ourselves .Relying on a strong R&D team, factory has successively obtained patents, software copyrights, and certification certificates more than 30 items.

VIOS has a professional overseas business team,show room and R&D dept., in Shanghai which is located in Lotus square Minhang Dist.,VIOS can give partners high-quality,leading technology and sewing solutions,especially for automative, upholstery, tent, bag, cap,jumbo bag,shoes,ect.,industries.

VIOS has 867, 868, 667, 669, 827, and HM820Series,full series have been undergone 5 years market verification, nowadays VIOS become first class brand and has been sold all over the world, we have many customers for automotive and upholstery industry,such as JUJIN,LEAR,NOBO,MAGNA,CADIVITE and KUKA,QUANU,etc.



01 About us

Factory show	01
Certificates and customers	02

02 Product

667 Series	03
867 Series	07
868 Series	13
HM820-867 Series	15
HM820-868 Series	17
827 Series	21
669 Series	25

03 Spare parts service

Optional spare parts	29
----------------------	----

Factory show

In intelligence, constant humidity, and stability temperature workshop, each sewing machine would be gone through hundreds of processes for fine polishing and strict testing to ensure its stable performance, durability and reliability



Certificates

National High-tech Enterprise;
Zhejiang Province Science and Technology Enterprise;
Wenzhou Municipal R&D Center;
Several Invention Patents;
Several utility model patents and several design patents;
Several software work patents;
CE certificate;



Customers




卡迪韦特





VIOS 667 Series flat bed



- Max.stitch length 9mm ;
- Max sewing speed 3400RPM ;
- Max.presser foot feed stroke up to 9mm;
- LED lighting, Self-developed stable VIOS control system;
- Full functions,including automatic trimmer,auto backtacking,PFL,HP function;
- 26mm or 32mm hook,32mm XXL hook for extra 70% bobbin capacity ;
- Air pressure:4.0NL.6Bar ;
- Widely used on all field of medium-heavy duty applications
- Pneumatic presser foot lifter Max.20mm ;
- Large clearance 335*125 mm ;



▪ Compound feeding





• Horizontal Hook



▪ Programming buttons


Optional device

667 series widely used on home upholstery,room decoration and technical textiles,etc.






V IOS 8 6 7 Series flat bed



- Stitch length 9mm(Optional 12mm);
- Max sewing speed 3000RPM
- Press foot stroke up to 9mm;
- 32mm XXL hook for extra 70% bobbin capacity;
- LED lighting, Self-developed stable VIOS control system;
- Presser foot lifter Max.20mm;
- Full functions,including automatic trimmer,auto backtacking,PFL,HP function(depends on models);
- Needle gauge for double needles(3-70mm,normally 4mm,5mm,6mm,8mm,10mm,12 mm);
- C with edge cutter,cutting size:1.2-2.5MM;
- Large clearance 335*125mm,400*125mm, 460*125mm,and 700*125mm;
- Japanese type needle gauge optional.



▪ Compound feeding



▪ Vertical hook




▪ Programming buttons

867 series widely used on automotive, upholstery,tent,etc.





Optional device



Arm bed type: A



Arm bed type: B




Models showing


VIOS 867 -400



VIOS 867 Mechanic type




VIOS 867 -460



VIOS 867 Short ending trimmer



VIOS 867 -700




VIOS 867 Short ending trimmer





VIOS

8 6 8 Series high post



- LED lighting, self-developed VIOS control system;
- Hook 26mm and 32mm (no trimmer);
- Needle gauge for double needles (normal 4mm, 5mm, 6mm, 8mm, 10mm, 12 mm);
- Max. presser foot lifter 20mm;
- Max. sewing speed 2500RPM;
- High top feed stroke up to 9mm;
- Wide clearance: 335*295mm
- Full functions, including automatic trimmer, auto backtacking and pneumatic presser foot lifter, HP function, (depends models);



▪ Compound feeding




▪ Programming buttons

868 series with post bed easy to handle material with complex curves, widely used for decorative seam on car seat headrest, cover, sofa armrest,etc.





Optional device



Arm bed type: A




Arm bed type: B






VIOS H M 8 2 0 - 8 6 7 Series decorative stitches



- LED lighting, self-developed VIOS control system;
- Hook 26mm and 32mm;
- Needle gauge for double needles(normal 6mm,8mm);
- Max.presser foot lifter 20mm;
- Max.sewing speed 800RPM;
- High top feed stroke up to 9mm;
- Full functions,including automatic trimmer,auto backtacking and pneumatic presser foot lifter,HP function;
- 200+ standard decorative stitch patterns and 100+ user designed patterns.






▪ Compound feeding





VIOS H M 8 2 0 - 8 6 8 Series decorative stitches




- LED lighting,self-developed VIOS control system;
- Hook 26mm and 32mm;
- Needle gauge for double needles(normal 6mm,8mm);
- Max.presser foot lifter 20mm;
- Max.sewing speed 800RPM;
- High top feed stroke up to 9mm;
- Full functions,including automatic trimmer,auto backtacking and pneumatic presser foot lifter,HP function;
- 200+ standard decorative stitch patterns and 100+ user designed patterns.



- Rotating needle bar




- Compound feeding





VIOS 827 Series flat bed



▪ Needle feeding

- Stitch length 7mm;
- Max sewing speed 3400RPM;
- 32mm XXL hook for extra 70% bobbin capacity;
- LED lighting, Self-developed stable VIOS control system;
- Pneumatic presser foot lifter Max.20mm
- Full functions,including automatic trimmer,auto backtacking,PFL,HP function;
- Needle gauge for double needles(standard 6.4mm,optional from 3.2-10mm);



▪ Programming buttons

827 series widely used for sportwear,home textile, cap,tent,etc

Optional device




Double needles




Single needle left hook



Single needle right hook




827





VIOS 669 series cylinder bed



- Max.stitch length 9mm;
- Max.sewing speed 3000RPM;
- Max. presser foot stroke up to 9mm;
- LED lighting, Self-developed stable VIOS control system;
- Pneumatic presser foot lifter Max.20mm
- Large clearance 335*125mm.
- Full functions,including automatic trimmer,auto backtacking and pneumatic presser foot lifter,HP function,Knee presser foot lifter device(depends models);



▪ Compound feeding



• Horizontal hook



▪ Programming buttons

669 series slim arm is easy to handle small leather and tubular seams, widely used in women leather bag, car mat, belt, etc



Optional device



Single dial of
Presser foot stroke





Double dials of
Presser foot stroke



Direct drive



Motor under table



Synchronized binder(optional)



Double dials of
Stitch length



Single dial of
Stitch length


Arm bed type: A



Arm bed type: B






Mechanic type



Spare parts service

Details to be found on: www.viossewing.com



High Quality

Leading Technology

Solution Supplier

We provide one-stop services for global clients.

